

Notice of Allowability

Application No.

10/693,812

Examiner

Matthew O. Savage

Applicant(s)

MARCKINI ET AL.

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-15 renumbered 1-15, respectively.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 10-24-03
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Matthew O Savage
Primary Examiner
Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David L. Hedden on 2-28-07.

In claim 1: on line 4, "the chiller" has been changed to --a chiller--; on line 20, --with an oxidative-reduction potential analyzer-- has been inserted after "water"; on line 22, --with an air quality monitor-- has been inserted after "water".

On line 4 of claim 2, "sensor oxidative-reduction potential" has been changed to -oxidative-reduction potential sensor--.

On line 1 of claim 6, "wherein" has been changed to --further comprising two or more oxidative-reduction potential sensors each connected to two or more oxidative-reduction potential analyzers, respectively, wherein the --.

On line 1 of claim 11, "1, 2, 3, 4, 5, 6, 7, 8, 9, or" has been deleted.

On lines 3-4 of claim 12, "or if the chlorine dioxide gas in the atmosphere surrounding the chill water is unacceptably high" has been deleted.

On lines 6-8 of page 1 of the specification, "This application is a continuation-in-part application of provisional application Serial No. 60/421,643 filed on October 28, 2002, the contents of which are hereby incorporated into this application." has been deleted.

Art Unit: 1724

The following is an examiner's statement of reasons for allowance: U.S. Patent 7,077,967 to Perkins et al is considered the closest prior art, however, the reference fails to teach or suggest the steps of measuring the oxidative-reduction potential of the chill water bath of the chiller, feeding chlorine dioxide to the chill water to achieve a predetermined target oxidative-reduction potential in the chill water from 400-750mV, monitoring the oxidative-reduction potential of the chill water with an oxidative reduction potential analyzer, monitoring the level of chlorine dioxide gas in the atmosphere surrounding the chill water with an air quality monitor, and terminating the flow of aqueous solution of chlorine dioxide into the chill water if the oxidation reduction potential exceeds 750 mV, if the oxidative reduction potential of the chill water meets the target, or if the level of chlorine dioxide gas in the atmosphere surrounding the chill water exceeds 0.3 ppm as recited in instant claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew O. Savage whose telephone number is (571) 272-1146. The examiner can normally be reached on Monday-Friday, 7:00am-3:30pm.

Art Unit: 1724

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew O. Savage
Matthew O Savage
Primary Examiner
Art Unit 1724

mos